



Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 1 of 19

Original Report No. : CTL2005224101-R
Report No. : CTL2007134031-R
Applicant: NEVADA TRADING SRL
Contact information: Via Torino, 2-20123 MILANO

The following sample(s) was (were) submitted and identified by client as:

Sample Description : UV disinfection lamp
Model No. : NLUVZKZ2100, NLUVY1000, NLUVY1200, NLUVZXC60,
NLUVZXC60A, NLUVZXC120, NLUVZXC120A, NLUVSM20,
NLUVSM15
Trade mark : NEVLIGHT HEALTHCARE
Manufacturer : NEVADA TRADING SRL
Address : Via Torino, 2-20123 MILANO
Sample Received Date : May. 26, 2020
Testing Period : From May. 26, 2020 to Jun. 03, 2020
Test Request : Please refer to next page(s).
Test Result(s) : Please refer to next page(s).

Written by:

Jessica Wu

Approved by:



Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 2 of 19

.....
Summary of Test Results (Tested parts are required partially by client):

TEST REQUEST

CONCLUSION

RoHS Directive 2011/65/EU and its subsequent amendments & Directive (EU) 2015/863

To determine Lead (Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)),

(1) Polybrominated Biphenyls (PBBs) and Polybrominated DiphenylEthers (PBDEs) content by screening test and chemical test

PASS

(2) To determine Phthalates (DBP, BBP, DEHP, DIBP) content by chemical test

PASS

.....
Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055

Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 3 of 19

Test Material List

Material No.	Description (Location)	Photo(s) of tested materials
1	Black foam pad with glue (shell)	
2	White label with black printing (shell)	
3	Silvery metal shell (shell)	
4	Gray plastic sheet with coating (shell)	
5	Silver gray metal cap (shell)	
6	Silvery metal (screw)	
7	Yellow label with black printing (fixed mount)	
8	Silvery metal rod (fixed mount)	
9	Silvery metal pin (lamp)	
10	White ceramic base (lamp)	
11	White dry glue (lamp)	
12	Transparent glass tube (lamp)	
13	Silvery metal wire (lamp)	
14	Black soft plastic gasket (lamp)	
15	Black soft plastic cap (lamp)	
16	Brown body (capacitance,PCB)	
17	Yellow body (capacitance,PCB)	
18	Black body (diode,PCB)	
19	Blue body (resistance,PCB)	
20	Red body (glass diode,PCB)	
21	Brown body (resistance,PCB)	
22	Black body (IC,PCB)	

Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055


Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 4 of 19

Material No.	Description (Location)	Photo(s) of tested materials
23	Black body (IC,PCB)	
24	Black plastic shell (buzzer,PCB)	
25	Silvery metal sheet (buzzer,PCB)	
26	Silvery metal touch spot (buzzer,PCB)	
27	Black magnet ring (buzzer,PCB)	
28	Silvery metal base (buzzer,PCB)	
29	Coppery metal coil (buzzer,PCB)	
30	Green PCB (buzzer,PCB)	
31	Silvery solder (buzzer,PCB)	
32	Silvery metal pin (buzzer,PCB)	
33	Green plastic shell (binding post,PCB)	
34	Silvery metal screw (binding post,PCB)	
35	Silvery metal frame (binding post,PCB)	
36	Silvery metal sheet (binding post,PCB)	
37	Silvery metal cap (fuse,PCB)	
38	Transparent glass tube (fuse,PCB)	
39	Silvery metal wire (fuse,PCB)	
40	Blue plastic shell white printing (relay,PCB)	
41	Silvery metal sheet (relay,PCB)	
42	Coppery metal sheet (relay,PCB)	
43	Golden metal sheet (relay,PCB)	
44	Silvery metal touch spot (relay,PCB)	
45	White plastic bobbin (relay,PCB)	
46	Silvery metal base (relay,PCB)	
47	Coppery metal coil (relay,PCB)	
48	Brown body (capacitance,PCB)	

Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055





Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 5 of 19

Material No.	Description (Location)	Photo(s) of tested materials
49	Transparent plastic sheet (PCB)	
50	Black plastic head (button switch,PCB)	
51	Silvery metal sheet (button switch,PCB)	
52	Black plastic shell (button switch,PCB)	
53	Silvery metal sheet (button switch,PCB)	
54	Silvery metal pin (button switch,PCB)	
55	Green body (LED,PCB)	
56	Silvery solder (PCB,remote control)	
57	Green PCB	
58	Silvery metal coil (PCB)	
59	Black soft plastic wire jacket (PCB)	
60	White body (capacitance,PCB)	
61	Brown body (capacitance,PCB)	
62	Black body (IC,PCB)	
63	Silvery body (crystal oscillator,PCB)	
64	Black plastic base (socket,PCB)	
65	Silvery metal pin (socket,PCB)	

Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055





Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 6 of 19

Material No.	Description (Location)	Photo(s) of tested materials
66	Green PCB	
67	Green PCB (remote control)	
68	Transparent plastic sheet (PCB)	
69	White plastic cable ties (PCB)	
70	Gray plastic shell (binding post,PCB)	
71	White plastic head (binding post,PCB)	
72	Green plastic head (binding post,PCB)	
73	Silvery metal sheet (binding post,PCB)	
74	Silvery metal sheet (transformer,PCB)	
75	Gray body (resistance,PCB)	
76	Black body (capacitance,PCB)	
77	Orange plastic jacket (capacitance,PCB)	
78	Silvery metal shell (capacitance,PCB)	

Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055



Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 7 of 19




Material No.	Description (Location)	Photo(s) of tested materials
79	Black soft plastic pin holder (capacitance,PCB)	
80	Brown paper (capacitance,PCB)	
81	Silvery metal foil (capacitance,PCB)	
82	Silver gray metal foil (capacitance,PCB)	
83	Silvery metal pin (capacitance,PCB)	
84	Black body (audion,PCB)	
85	Yellow plastic film with glue (transformer,PCB)	
86	Green plastic film with glue (transformer,PCB)	
87	Black plastic frame (transformer,PCB)	
88	Black magnet block (transformer,PCB)	
89	Coppery metal coil (transformer,PCB)	
90	Blue body (resistance,PCB)	
91	Black magnet ring with green coating (inductance,PCB)	
92	Coppery metal coil (inductance,PCB)	
93	Red metal coil (inductance,PCB)	
94	Black dry glue (PCB)	
95	Transparent body (LED,PCB,remote control)	

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 8 of 19

Material No.	Description (Location)	Photo(s) of tested materials
96	Green PCB	
97	Coppery metal wire (power line)	
98	Black soft plastic wire jacket (connecting line,PCB)	
99	Coppery metal wire (connecting line,PCB)	
100	Silvery metal splice (power line)	

Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055

Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 9 of 19

Material No.	Description (Location)	Photo(s) of tested materials
101	White soft plastic wire jacket (connecting line,PCB)	
102	White ceramic (socket,connecting line,PCB)	
103	Silvery metal pin (plug,power line)	
104	White plastic pin holder (plug,power line)	
105	Coppery metal tube (socket,connecting line,PCB)	
106	Yellow soft plastic wire jacket (connecting line,PCB)	
107	Black plastic shell with silvery coating (remote control)	
108	Black soft plastic with white printing (remote control)	
109	Silvery metal screw (remote control)	

Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055


Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 10 of 19

Material No.	Description (Location)	Photo(s) of tested materials
110	Silvery metal sheet (PCB,remote control)	

Test Result(s):

(1) Lead (Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls (PBBs) and Polybrominated DiphenylEthers (PBDEs)

Test Method: IEC62321-3-1: 2013, IEC62321-4: 2013+A1:2017, IEC62321-5: 2013, IEC62321-6: 2015, IEC 62321-7-1:2015, IEC 62321-7-2: 2017, analyzed by EDXRF & ICP-OES & GC-MS & UV-Vis.

No.	EDXRF Result ⁽¹⁾					Chemical Result ⁽²⁾ (mg/kg)	Remark ⁽³⁾	Conclusion
	Pb	Cd	Hg	Cr	Br			
1	BL	BL	BL	BL	BL	—	—	PASS
2	BL	BL	BL	BL	BL	—	—	PASS
3	BL	BL	BL	BL	NA	—	—	PASS
4	BL	BL	BL	BL	BL	—	—	PASS
5	BL	BL	BL	BL	NA	—	—	PASS
6	BL	BL	BL	BL	NA	—	—	PASS
7	BL	BL	BL	BL	BL	—	—	PASS
8	BL	BL	BL	BL	NA	—	—	PASS
9	BL	BL	BL	BL	NA	—	—	PASS
10	BL	BL	BL	BL	BL	—	—	PASS
11	BL	BL	BL	BL	BL	—	—	PASS
12	BL	BL	BL	BL	BL	—	—	PASS
13	BL	BL	BL	BL	NA	—	—	PASS
14	BL	BL	BL	BL	BL	—	—	PASS
15	BL	BL	BL	BL	BL	—	—	PASS

Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055

Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 11 of 19

No.	EDXRF Result ⁽¹⁾					Chemical Result ⁽²⁾ (mg/kg)	Remark ⁽³⁾	Conclusion
	Pb	Cd	Hg	Cr	Br			
16	BL	BL	BL	BL	BL	—	—	PASS
17	BL	BL	BL	BL	BL	—	—	PASS
18	BL	BL	BL	BL	BL	—	—	PASS
19	BL	BL	BL	BL	BL	—	—	PASS
20	OL*	BL	BL	BL	BL	—	Glass of electronic components	PASS
21	BL	BL	BL	BL	BL	—	—	PASS
22	BL	BL	BL	BL	BL	—	—	PASS
23	BL	BL	BL	BL	BL	—	—	PASS
24	BL	BL	BL	BL	BL	—	—	PASS
25	BL	BL	BL	BL	NA	—	—	PASS
26	BL	BL	BL	BL	NA	—	—	PASS
27	BL	BL	BL	BL	BL	—	—	PASS
28	BL	BL	BL	BL	NA	—	—	PASS
29	BL	BL	BL	BL	NA	—	—	PASS
30	BL	BL	BL	BL	BL	—	—	PASS
31	BL	BL	BL	BL	NA	—	—	PASS
32	BL	BL	BL	BL	NA	—	—	PASS
33	BL	BL	BL	BL	BL	—	—	PASS
34	BL	BL	BL	BL	NA	—	—	PASS
35	BL	BL	BL	BL	NA	—	—	PASS
36	BL	BL	BL	BL	NA	—	—	PASS
37	BL	BL	BL	BL	NA	—	—	PASS
38	BL	BL	BL	BL	BL	—	—	PASS
39	BL	BL	BL	BL	NA	—	—	PASS
40	BL	BL	BL	BL	X	PBBs: N.D. PBDEs: N.D.	—	PASS

Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055

Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 12 of 19

No.	EDXRF Result ⁽¹⁾					Chemical Result ⁽²⁾ (mg/kg)	Remark ⁽³⁾	Conclusion
	Pb	Cd	Hg	Cr	Br			
41	BL	BL	BL	BL	NA	—	—	PASS
42	BL	BL	BL	BL	NA	—	—	PASS
43	BL	BL	BL	BL	NA	—	—	PASS
44	BL	BL	BL	BL	NA	—	—	PASS
45	BL	BL	BL	BL	X	PBBs: N.D. PBDEs: N.D.	—	PASS
46	BL	BL	BL	BL	NA	—	—	PASS
47	BL	BL	BL	BL	NA	—	—	PASS
48	BL	BL	BL	BL	BL	—	—	PASS
49	BL	BL	BL	BL	BL	—	—	PASS
50	BL	BL	BL	BL	BL	—	—	PASS
51	BL	BL	BL	BL	NA	—	—	PASS
52	BL	BL	BL	BL	BL	—	—	PASS
53	BL	BL	BL	BL	NA	—	—	PASS
54	BL	BL	BL	BL	NA	—	—	PASS
55	BL	BL	BL	BL	X	PBBs: N.D. PBDEs: N.D.	—	PASS
56	BL	BL	BL	BL	NA	—	—	PASS
57	BL	BL	BL	BL	X	PBBs: N.D. PBDEs: N.D.	—	PASS
58	BL	BL	BL	BL	NA	—	—	PASS
59	BL	BL	BL	BL	BL	—	—	PASS
60	BL	BL	BL	BL	BL	—	—	PASS
61	BL	BL	BL	BL	BL	—	—	PASS
62	BL	BL	BL	BL	BL	—	—	PASS
63	BL	BL	BL	BL	BL	—	—	PASS
64	BL	BL	BL	BL	BL	—	—	PASS
65	BL	BL	BL	BL	NA	—	—	PASS
66	BL	BL	BL	BL	X	PBBs: N.D. PBDEs: N.D.	—	PASS

Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055

Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 13 of 19

No.	EDXRF Result ⁽¹⁾					Chemical Result ⁽²⁾ (mg/kg)	Remark ⁽³⁾	Conclusion
	Pb	Cd	Hg	Cr	Br			
67	BL	BL	BL	BL	X	PBBs: N.D. PBDEs: N.D.	—	PASS
68	BL	BL	BL	BL	BL	—	—	PASS
69	BL	BL	BL	BL	BL	—	—	PASS
70	BL	BL	BL	BL	BL	—	—	PASS
71	BL	BL	BL	BL	BL	—	—	PASS
72	BL	BL	BL	BL	BL	—	—	PASS
73	BL	BL	BL	BL	NA	—	—	PASS
74	BL	BL	BL	BL	NA	—	—	PASS
75	BL	BL	BL	BL	BL	—	—	PASS
76	BL	BL	BL	BL	BL	—	—	PASS
77	BL	BL	BL	BL	BL	—	—	PASS
78	BL	BL	BL	BL	NA	—	—	PASS
79	BL	BL	BL	BL	BL	—	—	PASS
80	BL	BL	BL	BL	BL	—	—	PASS
81	BL	BL	BL	BL	NA	—	—	PASS
82	BL	BL	BL	BL	NA	—	—	PASS
83	BL	BL	BL	BL	NA	—	—	PASS
84	BL	BL	BL	BL	BL	—	—	PASS
85	BL	BL	BL	BL	BL	—	—	PASS
86	BL	BL	BL	BL	BL	—	—	PASS
87	BL	BL	BL	BL	BL	—	—	PASS
88	BL	BL	BL	BL	BL	—	—	PASS
89	BL	BL	BL	BL	NA	—	—	PASS
90	BL	BL	BL	BL	BL	—	—	PASS
91	BL	BL	BL	BL	BL	—	—	PASS
92	BL	BL	BL	BL	NA	—	—	PASS

Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055

Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 14 of 19

No.	EDXRF Result ⁽¹⁾					Chemical Result ⁽²⁾ (mg/kg)	Remark ⁽³⁾	Conclusion
	Pb	Cd	Hg	Cr	Br			
93	BL	BL	BL	BL	NA	—	—	PASS
94	BL	BL	BL	BL	BL	—	—	PASS
95	BL	BL	BL	BL	NA	—	—	PASS
96	BL	BL	BL	BL	X	PBBs: N.D. PBDEs: N.D.	—	PASS
97	BL	BL	BL	BL	NA	—	—	PASS
98	BL	BL	BL	BL	BL	—	—	PASS
99	BL	BL	BL	BL	NA	—	—	PASS
100	BL	BL	BL	BL	NA	—	—	PASS
101	BL	BL	BL	BL	BL	—	—	PASS
102	BL	BL	BL	BL	NA	—	—	PASS
103	BL	BL	BL	BL	NA	—	—	PASS
104	BL	BL	BL	BL	BL	—	—	PASS
105	BL	BL	BL	BL	NA	—	—	PASS
106	BL	BL	BL	BL	BL	—	—	PASS
107	BL	BL	BL	BL	BL	—	—	PASS
108	BL	BL	BL	BL	BL	—	—	PASS
109	BL	BL	BL	BL	NA	—	—	PASS
110	BL	BL	BL	BL	NA	—	—	PASS

Remark:

- (1) ① Results are obtained by EDXRF for primary screening, and further wet chemical testing by ICP-OES (for Cd, Pb, Hg), UV-VIS (for Cr(VI)) and GC/MS (for PBBs, PBDEs) is recommended to be performed, if an inconclusive result was found (as "X" in below table) (unit: mg/kg).
- ② OL = Over Limit, BL = Below Limit, X = Inconclusive, NA = Not Applicable.
- ③ The EDXRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.

Element	Polymer	Metal	Composite Materials
Cd	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$LOD < X < (150+3\sigma) \leq OL$

Test Report

Report No.: CTL2007134031-R Date: Jul. 15, 2020 Page 15 of 19

Pb	BL \leq (700-3 σ) < X < (1300+3 σ) \leq OL	BL \leq (700-3 σ) < X < (1300+3 σ) \leq OL	BL \leq (500-3 σ) < X < (1500+3 σ) \leq OL
Hg	BL \leq (700-3 σ) < X < (1300+3 σ) \leq OL	BL \leq (700-3 σ) < X < (1300+3 σ) \leq OL	BL \leq (500-3 σ) < X < (1500+3 σ) \leq OL
Br	BL \leq (300-3 σ) < X	NA	BL \leq (250-3 σ) < X
Cr	BL \leq (700-3 σ) < X	BL \leq (700-3 σ) < X	BL \leq (500-3 σ) < X

Units and limits in EU RoHS Directive 2011/65/EU:

Element	Pb	Cd	Hg	Cr(VI)	PBBs(single)	PBDEs(single)
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Limit	1000	100	1000	1000	1000	1000

(2) ① mg/kg = ppm = 0.0001%, N.D. = Not Detected (Less than RL).

② Unit and RL (Report limit) in wet chemical test.

Element	Pb	Cd	Hg	Cr(VI)	PBBs(single)	PBDEs(single)
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RL	2	2	2	2	5	5

③ According to IEC 62321-7-1:2015, result on Cr(VI) for metal sample is shown as Positive/Negative.

Negative = Absence of Cr(VI) coating, Positive = Presence of Cr(VI) coating.

Storage condition and production date of the tested sample are unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

④ According to IEC 62321-3-1:2013, this column represents the results of wet chem test.

(3) This column represents the exempted decoration of material or other related testing sample's information.

According to the declaration from the client, Lead in specimen(s) is exempted by EU RoHS Directive 2011/65/EU and its amendment Directive EU 2015/863 base on:

* Lead in glass and ceramic of electronic components is exempted.

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 16 of 19

(2) Phthalates (DBP, BBP, DEHP, DIBP) content

Test Method: IEC 62321-8: 2017, analyzed by gas chromatographic- mass spectrometer (GC-MS).

Substances	DBP	BBP	DEHP	DIBP	Conclusion
CAS No.	84-74-2	85-68-7	117-81-7	84-69-5	
Limit (mg/kg)	1000	1000	1000	1000	
RL (mg/kg)	30	30	30	30	
Material No.	Result (mg/kg)				
1	N.D.	N.D.	N.D.	N.D.	PASS
2	N.D.	N.D.	N.D.	N.D.	PASS
4	N.D.	N.D.	N.D.	N.D.	PASS
7	N.D.	N.D.	N.D.	N.D.	PASS
10	N.D.	N.D.	N.D.	N.D.	PASS
11	N.D.	N.D.	N.D.	N.D.	PASS
14	N.D.	N.D.	N.D.	N.D.	PASS
15	N.D.	N.D.	N.D.	N.D.	PASS
24	N.D.	N.D.	N.D.	N.D.	PASS
33	N.D.	N.D.	N.D.	N.D.	PASS
40	N.D.	N.D.	N.D.	N.D.	PASS
45	N.D.	N.D.	N.D.	N.D.	PASS
49	N.D.	N.D.	N.D.	N.D.	PASS
50	N.D.	N.D.	N.D.	N.D.	PASS
52	N.D.	N.D.	N.D.	N.D.	PASS
59	N.D.	N.D.	N.D.	N.D.	PASS
64	N.D.	N.D.	N.D.	N.D.	PASS
68	N.D.	N.D.	N.D.	N.D.	PASS
69	N.D.	N.D.	N.D.	N.D.	PASS
70	N.D.	N.D.	N.D.	N.D.	PASS
71	N.D.	N.D.	N.D.	N.D.	PASS
72	N.D.	N.D.	N.D.	N.D.	PASS

Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055

Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report

Report No.: CTL2007134031-R

Date: Jul. 15, 2020

Page 17 of 19

Substances	DBP	BBP	DEHP	DIBP	Conclusion
CAS No.	84-74-2	85-68-7	117-81-7	84-69-5	
Limit (mg/kg)	1000	1000	1000	1000	
RL (mg/kg)	30	30	30	30	
Material No.	Result (mg/kg)				
77	N.D.	N.D.	N.D.	N.D.	PASS
79	N.D.	N.D.	N.D.	N.D.	PASS
85	N.D.	N.D.	N.D.	N.D.	PASS
86	N.D.	N.D.	N.D.	N.D.	PASS
87	N.D.	N.D.	N.D.	N.D.	PASS
94	N.D.	N.D.	N.D.	N.D.	PASS
98	N.D.	N.D.	N.D.	N.D.	PASS
101	N.D.	N.D.	N.D.	N.D.	PASS
104	N.D.	N.D.	N.D.	N.D.	PASS
106	N.D.	N.D.	N.D.	N.D.	PASS
107	N.D.	N.D.	N.D.	N.D.	PASS
108	N.D.	N.D.	N.D.	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. RL = report limit.
 3. N.D.=not detected(less than RL).

Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055

Tel: +86-755-89486194 E-Mail: ctl@ctl-lab.com

Test Report


Report No.: CTL2007134031-R

Date: Jul. 15, 2020


Page 18 of 19

Test Process Flow


1. Lead, Cadmium, Mercury



2. Hexavalent Chromium (Non-metal)



Hexavalent Chromium (Metal)



Test Report


Report No.: CTL2007134031-R

Date: Jul. 15, 2020


Page 19 of 19

Test Process Flow (Continued):

3. PBBs & PBDEs, Phthalates



Photo(s) of Sample:



End of Report